

SAFETY DATA SHEET

Kapow

SECTION 1: Identification: Pro	oduct identifier and chemical identity
Product identifier	
Product name	Каром
Internal identification	TENKAPOW
Relevant identified uses of the	substance or mixture and uses advised against
Application	Heavy duty multipurpose detergent
Uses advised against	Use only for intended applications.
Details of the supplier of the	e safety data sheet
Supplier	Tensens Group Pty Ltd Unit 2, 3-5 Conara Road Kunda Park, QLD, 4556 +61 7 5477 1511
	sales@tensens.com.au
Contact Person	Poisons Information 131126
Importer	Tensens Group Pty Ltd Unit 2, 3-5 Conara Road, Kunda Park, QLD, 4556 +61 7 5477 1511
	sales@tensens.com.au
Emergency telephone numb	
Emergency telephone	Poisons Information 131126
SECTION 2: Hazard(s) identif	ication
Classification of the substance	or mixture
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 -
H317Environmental hazards	Aquatic Chronic 3 - H412
Label elements Hazard	
pictograms	
Signal word	DANGER

Hazard statements	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H317 May cause an allergic skin reaction.
	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	P261 Avoid breathing vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 IF ON SKIN: Wash with plenty of soap and water.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a POISON CENTER or doctor/ physician.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash before reuse.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts, D-Limonene (Terpene
	Hydrocarbons)
	• •

Other hazards

п

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (verypersistent and very bioaccumulative).

SECTION 3: Composition and information on ingredients	
Mixtures	
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	1-10%
CAS number: 68411-30-3	
D-Limonene (Terpene Hydrocarbons)	1-10%
	1-10%
CAS number: 8028-48-6	
2-butoxyethanol	1-10%
CAS number: 111-76-2	
Nonylphenol, ethoxylated	1-10%
CAS number: 9016-45-9	
Sodium Xylenesulphonate	1-10%
CAS number: 1300-72-7	
Sodium Metasilicate Pentahydrate	1-10%
CAS number: 10213-79-3	
bronopol (INN)	<1%
CAS number: 52-51-7	

SECTION 4: First aid measures

SECTION 4: First and measur		
Description of first aid measure	<u>s</u>	
General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medicalpersonnel. Chemical burns must be treated by a physician.	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Rinse nose and mouth with water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist.	
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Get medical attention.	
Skin Contact	It is important to remove the substance from the skin immediately. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Chemicalburns must be treated by a physician.	
Eye contact	Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and openeyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.	
Protection of first aiders	It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.	
Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat.	
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may includethe following: Severe stomach pain. Nausea, vomiting.	
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.	
Indication of any immediate me	dical attention and special treatment needed	
Notes for the doctor	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.	
SECTION 5: Firefighting measures		
Extinguishing media		
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, drypowder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	

Special hazards arising from the substance or mixture

Specific hazards

Containers can burst violently or explode when heated, due to excessive pressure build-up. Severe corrosive hazard. Water used for fire extinguishing, which has been in contact with theproduct, may be corrosive.

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapours.
Advice for firefighters	
Protective actions during firefighting Special protective equipment for firefighters	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquaticenvironment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
	Regular protection may not be safe. Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental relea	ise measures
Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall betaken without appropriate training or involving any personal risk. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
Methods and material for conta	inment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Do not use sawdust or other combustible material. This product is corrosive. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and removefrom the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.
Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal,see Section 13.
SECTION 7: Handling and sto	prage, including how the chemical may be safely used
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described inSection 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. This product is corrosive. Immediate first aid is imperative. Avoid discharge to the aquatic environment. Do not handle until all safety

protective equipment. Do not reuse empty containers.

precautions have been read and understood. Do not handle broken packages without

Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage precautions	Store locked up. Keep only in the original container. Keep container tightly closed, in a cool,well ventilated place. Keep containers upright. Protect containers from damage.	
Storage class	Corrosive storage.	
Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.	
SECTION 8: Exposure controls and personal protection		

Exposure controls

Ρ

Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them assoon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
SECTION 9: Physical and c	hemical properties
Information on basic physica	

S

Information on basic	c physical and chemical properties
Appearance	Coloured liquid.

Pale Yellow

Colour

Odour	Citrus.
рН	12.0 - 12.5
Specific Gravity	1.01
Solubility(ies)	Soluble in water.
SECTION 10: Stability and rea	ctivity
Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under theprescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce ahazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition orcombustion products may include the following substances: Corrosive gases or vapours.
SECTION 11: Toxicological inf	formation
Information on toxicological effe	cts
Acute toxicity - oral	Based on available data the classification criteria are not met.
Notes (oral LD ₅₀)	
ATE oral (mg/kg)	4,032.26
<u>Acute toxicity - dermal</u> Notes (dermal LD₅₀)	Based on available data the classification criteria are not
met.ATE dermal (mg/kg)	27,500.0
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not
met.ATE inhalation (vapours	s mg/l) 275.0
<u>Skin_corrosion/irritation</u> Animal data	Skin Corr. 1A - H314 Causes severe burns.
<u>Serious eye damage/irritation</u> Serious eye damage/irritation	Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
<u>Skin sensitisation</u> Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.
<u>Germ cell mutagenicity</u> Genotoxicity - in vitro	Based on available data the classification criteria are not
met.Carcinogenicity	

O main a marialta	
Carcinogenicity	Based on available data the classification criteria are not
met.IARC carcinogenicity	None of the ingredients are listed or exempt.
<u>Reproductive toxicity</u> Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
<u>Specific target organ toxicity - sin</u> STOT - single exposure	n <mark>gle exposure</mark> Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity - re STOT - repeated exposure	<u>peated exposure</u> Not classified as a specific target organ toxicant after repeated exposure.
<u>Aspiration hazard</u> Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and thelength of exposure.
Inhalation	Corrosive to the respiratory tract. Symptoms following overexposure may include thefollowing: Severe irritation of nose and throat.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.
Skin Contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Causes severe burns. Symptoms following overexposure may include the following: Pain or irritation. Redness. Blistering may occur.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following:Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye
contactTarget Organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.
SECTION 12: Ecological inform	nation
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.
Persistence and degradability Persistence and degradability	The degradability of the product is not known.
<u>Bioaccumulative potential</u> Bioaccumulative Potential	No data available on bioaccumulation.
<u>Mobility in soi</u> l Mobility	No data available.
Other adverse effects Other adverse effects	None known.
SECTION 13: Disposal considerations	

Каром		
Waste treatment methods		
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycleproducts wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposalcontractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods(IMDG, IATA, ADG).	
<u>UN number</u>		
Not applicable.		
UN proper shipping name		
Not applicable.		
Transport hazard class(es)		
No transport warning sign requ	uired.	
Packing group		
Not applicable.		
Environmental hazards		
Environmentally hazardous subs	stance/marine pollutantNo.	
Special precautions for userNot		
applicable.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
SECTION 15: Regulatory information		

Inventories

Australia - AICS None of the ingredients are listed or exempt.

SECTION 16: Any other relevant information

Training advice	Only trained personnel should use this material.
Revision date	17/02/2021
Revision	3
Supersedes date	22/03/2019

General Information	The following risk and hazard statements are to be considered a glossary. They relate to the raw materials used in this product and therefore may not be accurate for the finished product itself. For the complete risk and hazard statements for this product please refer to section 2 ofthis Safety Data Sheet
SDS No.	4795
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.